

Sun Odyssey 319 **SUMMARY**

SPECIFICATIONS

KEY POINTS





SUN ODYSSEY 319 2/7

SPECIFICATIONS

EBOOK.SPECIFICATION.TITLE.TECHNICAL_CHARACTERISTICS

Overall length with	
bowsprit	9,8 m / 29'6"
Waterline length	9,09 m m / 29'6"
Overall Beam	3,46 m / 9'10"
Displacement - Deep	
draft keel	5100 kg / 11244 Lbs
Standard keel draft	1,85 m / 3'3"
	0,75 m – 1,70m / 2′ 5″ – 5′ 6″
Swing keel draft	m / 0'0"
Cabins	2
Berths	4 + 2
	Yanmar 21 Hp / 15 kW
Fuel capacity	100 l / 26 US gal
	150 l / 40 US gal
Sail area: Standard	47,6 m² / 506 Sq ft

* Optional equipment
** Mid-load speed, clean hull without antifouling

KEY POINTS



- Design: Keep reasonable and simple design solutions
 - Focus on value for money
 - Engage with a wider market
 - Extend Jeanneau sailboat range
 - Idea: Focus on key market

KEY FEATURES



- A Category A rating
- B Hull chine
- C Large hull port
- D Fixed keel or swing keel design
- Twin rudders for better handling
- F Standard wheel steering

KEAY FEATURES



- A Standard wheel steering
- B Optional bowsprit

KEY FEAUTURES



- A Full galley
- B 2 closed cabins
- Closed head compartment with marine head
- D Large cockpit locker

SUN ODYSSEY 319

